

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
ITEM	ITEM				
					For items not listed, please contact the Delaware County Engineer's Office for assistance.
201	201	CLEARING AND GRUBBING	LIN FT	\$ 2.87	Use for basis of calc. when less than or equal to 5280 lin ft of street
201	201	CLEARING AND GRUBBING	LIN FT	\$ 1.92	Use for basis of calc. when greater than 5280 lin ft of street
201	201	CLEARING AND GRUBBING	LIN FT	\$ 3.35	Use for basis of calc. when less than or equal to 5280 lin ft of street (Wooded area)
201	201	CLEARING AND GRUBBING	LIN FT	\$ 2.39	Use for basis of calc. when greater than 5280 lin ft of street (Wooded area)
201	201	TREES AND/OR STUMPS REMOVED (12" OR SMALLER)	EACH	\$ 606.80	
201	201	TREES AND/OR STUMPS REMOVED (OVER 12" TO 24")	EACH	\$ 695.07	
201	201	TREES AND/OR STUMPS REMOVED (OVER 24" TO 36")	EACH	\$ 877.11	
201	201	TREES AND/OR STUMPS REMOVED (OVER 36" TO 60")	EACH	\$ 1,213.61	
201	201	TREES AND/OR STUMPS REMOVED (OVER 60")	EACH	\$ 1,456.33	
202	202	BASE REMOVED AND DISPOSED OF	SQ YD	\$ 10.34	
202	202	BUILDINGS REMOVED	LUMP SUM		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
202	202	CATCH BASIN ABANDONED	EACH	\$ 344.82	
202	202	CATCH BASIN REMOVED	EACH	\$ 402.29	
202	202	CONCRETE PAVEMENT REMOVED AND DISPOSED OF	SQ YD	\$ 10.69	
202	202	CURB AND GUTTER REMOVED AND DISPOSED OF	LIN FT	\$ 9.77	
202	202	CURB INLET REMOVED	EACH	\$ 402.29	
202	202	CURB REMOVED AND DISPOSED OF	LIN FT	\$ 8.62	
	202	DRIVE APPROACH REMOVED AND DISPOSED OF	SQ YD	\$ 10.35	
202	202	FENCE REMOVED	LIN FT	\$ 5.75	
202	202	FENCE REMOVED FOR REUSE	LIN FT	\$ 11.49	
	202	GATE REMOVED	EACH	\$ 169.88	
202	202	GUARD RAIL REMOVED AND DISPOSED OF	LIN FT	\$ 4.02	
	202	HEADWALL REMOVED	EACH	\$ 233.90	
202	202	INLET ABANDONED	EACH	\$ 402.29	
202	202	INLET REMOVED	EACH	\$ 364.08	
202	202	MANHOLE ABANDONED	EACH	\$ 436.77	
202	202	MANHOLE REMOVED	EACH	\$ 517.23	
202	202	PAVEMENT REMOVED AND DISPOSED OF	SQ YD	\$ 9.10	
202	202	PIPE REMOVED, 24" AND UNDER	LIN FT	\$ 14.89	
202	202	PIPE REMOVED, OVER 24"	LIN FT	\$ 21.51	
202	202	PORTIONS OF STRUCTURES REMOVED	LUMP SUM		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
202	202	SEPTIC TANK REMOVED	EACH	\$ 1,239.05	
202	202	SIDEWALK REMOVED AND DISPOSED OF	SQ YD	\$ 16.03	
	202	SPECIAL - DRILLED WATER WELL ABANDONED	EACH	\$ 864.35	
202	202	SPECIAL - FILL AND PLUG EXISTING CONDUIT	LIN FT	\$ 42.99	
	202	SPECIAL - PIPE CLEANOUT	LIN FT	\$ 15.98	
	202	STRUCTURES AND OBSTRUCTIONS REMOVED	LUMP SUM		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
202	202	UNDERGROUND STORAGE TANK REMOVED	LUMP SUM		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
202	202	WEARING COURSE REMOVED AND DISPOSED OF	SQ YD	\$ 7.24	
203	203	BORROW	CU YD	\$ 8.79	
203	203	EMBANKMENT	CU YD	\$ 13.16	
203	203	EXCAVATION INCLUDING EMBANKMENT CONSTRUCTION	CU YD	\$ 7.47	
203	203	EXCAVATION NOT INCLUDING EMBANKMENT CONSTRUCTION	CU YD	\$ 14.48	
204	203	PROOF ROLLING	HOURL	\$ 201.14	REQ'D. ON ALL ESTIMATES
204	203	SUBGRADE COMPACTION	SQ YD	\$ 1.59	REQ'D. ON ALL ESTIMATES
204	203	GEOTEXTILE FABRIC	SQ YD	\$ 1.52	
204	203	GEOTEXTILE FABRIC, AS PER PLAN	SQ YD	\$ 2.11	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
	203	WATER	M GAL	\$ 40.23	REQ'D. ON ALL ESTIMATES
	207	BEAVER DAM	EACH	\$ 59.37	
207	207	CONSTRUCTION ENTRANCE	SQ YD	\$ 5.92	REQ'D. ON ALL ESTIMATES
207	207	FILTER FABRIC FENCE	LIN FT	\$ 2.99	REQ'D. ON ALL ESTIMATES
207	207	INLET PROTECTION	EACH	\$ 66.09	REQ'D. ON ALL ESTIMATES
207	207	STRAW WADDLES	EACH	\$ 17.24	
207	207	TEMPORARY SEEDING AND MULCHING	SQ YD	\$ 0.98	
	252	FULL DEPTH PAVEMENT SAWING	LIN FT	\$ 2.71	
251	253	PAVEMENT REPAIR, AS PER PLAN	SQ YD	\$ 42.53	
253	253	TEMPORARY PAVEMENT	SQ YD	\$ 24.00	
254	254	PAVEMENT PLANNING	SQ YD	\$ 5.13	
301	301	BITUMINOUS AGGREGATE BASE (Specify Thickness)	CU YD	\$ 154.46	
304	304	AGGREGATE BASE (Specify Thickness)	CU YD	\$ 55.16	
911		COMPACTED BACKFILL	CU YD	\$ 27.58	
	304	COMPACTED GRANULAR BACKFILL	CU YD	\$ 27.58	
912		COMPACTED GRANULAR MATERIAL	CU YD	\$ 44.13	
305	305	8 IN. PORTLAND CEMENT CONCRETE BASE	SQ YD	PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	CONCRETE BASE MUST BE APPROVED BY TOWNSHIP TRUSTEES FOR ALL PUBLIC ROADS AND PRIVATE ROADS BUILT TO PUBLIC STANDARDS.
305	305	6 IN. PORTLAND CEMENT CONCRETE BASE	SQ YD	PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	
305	305	5 IN. PORTLAND CEMENT CONCRETE BASE	SQ YD	PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	
402		ASPHALT CONCRETE (Specify Thickness)	CU YD	\$ 148.94	
402		ASPHALT CONCRETE (DRIVEWAYS)	CU YD	\$ 198.59	
404		ASPHALT CONCRETE (Specify Thickness)	CU YD	\$ 204.11	
404		ASPHALT CONCRETE (DRIVEWAYS)	CU YD	\$ 212.93	
407	407	TACK COAT	SQ YD	\$ 2.10	
407	407	TACK COAT	GALLON	\$ 3.59	
408	408	BITUMINOUS PRIME COAT	SQ YD	\$ 2.43	
409	409	SEAL COAT BITUMINOUS MATERIAL	GALLON	\$ 4.37	
409	409	SEAL COAT COVER AGGREGATE	TONS	\$ 50.23	
411	411	STABILIZED CRUSHED AGGREGATE	CU YD	\$ 50.02	
413		CRACK SEALING - - HOT APPLIED	LIN FT	\$ 0.63	
413		CRACK SEALING - - HOT APPLIED	SQ YD	\$ 2.64	
	422	SINGLE CHIP SEAL WITH POLYMER BINDER	SQ YD	\$ 1.44	
	448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-22	CU YD	\$ 148.94	
	448	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22	CU YD	\$ 204.11	
	452	NON-REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT, 8" IN DRIVEWAY APPROACH	SQ YD	\$ 57.47	USE FOR COMMERCIAL AND CAD DRIVEWAYS WITHIN R/W
452	452	NON-REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT, 6" IN DRIVEWAY APPROACH	SQ YD	\$ 54.94	USE FOR SINGLE OR SHARED RESIDENTIAL DRIVEWAYS WITHIN R/W
454		PAVEMENT RELIEF JOINTS	LIN FT	\$ 15.80	
502	502	TEMPORARY BRIDGE	LUMP SUM		All 500 prefix item costs for projects shall use ODOT Summary of Contracts Awarded Unit Prices
503	503	COFFERDAMS, CRIBS AND SHEETING	LUMP SUM		
503	503	ROCK EXCAVATION	CU YD		
503	503	SHALE EXCAVATION	CU YD		

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
503	503	UNCLASSIFIED EXCAVATION	CU YD		
503	503	UNCLASSIFIED EXCAVATION - ROCK	CU YD		
503	503	UNCLASSIFIED EXCAVATION - SHALE	CU YD		
	505	TEST PILE	LUMP SUM		
506	506	PILE TEST LOAD	LUMP SUM		
506	506	SUBSEQUENT PILE TEST LOAD	EACH		
507	507	PREBORED HOLES	LIN FT		
507	507	STEEL SHOES	EACH		
507	507	STEEL POINTS	EACH		
507	507	STEEL PILES (H.P. 12 X 53)	LIN FT		
507	507	STEEL PILES (H.P. 14 X 73)	LIN FT		
507	507	STEEL PILES (H.P. 10 X 42)	LIN FT		
507	507	12 IN. DIAMETER (CAST IN PLACE) REINFORCED CONCRETE PILES	LIN FT		
507	507	14 IN. DIAMETER (CAST IN PLACE) REINFORCED CONCRETE PILES	LIN FT		
509	509	REINFORCING STEEL	POUND		
510	510	DOWEL HOLES	EACH		
510	510	DOWEL HOLES	LIN FT		
511	511	CLASS C CONCRETE	CU YD		
	511	CLASS C CONCRETE ABUTMENTS	CU YD		
	511	CLASS C CONCRETE FOOTINGS	CU YD		
	511	CLASS C CONCRETE PIERS ABOVE FOOTINGS	CU YD		
	511	CLASS C CONCRETE RETAINING WALLS	CU YD		
	511	CLASS S CONCRETE SUPER-STRUCTURE	CU YD		
	512	SEALING OF CONCRETE SURFACES (EPOXY-URETHANE)	SQ YD		
	512	SEALING OF CONCRETE SURFACES (NON-EPOXY)	SQ YD		
512	512	TYPE 2 WATERPROOFING (FOR BOX CULVERTS)	SQ YD		
512	512	TYPE 3 WATERPROOFING (FOR BOX CULVERTS)	SQ YD		
512	512	TYPE A WATERPROOFING	SQ YD		
512	512	TYPE B WATERPROOFING	SQ YD		
512	512	TYPE D WATERPROOFING	SQ YD		
513	513	STRUCTURAL STEEL	POUND		
513	513	STRUCTURAL STEEL	LUMP SUM		
	513	WELDED STUD SHEAR CONNECTORS	EACH		
514	514	FIELD PAINTING OF STRUCTURAL STEEL	POUND		
514	514	FIELD PAINTING OF STRUCTURAL STEEL	LUMP SUM		
516	516	EXPANSION AND CONTRACTION JOINTS	LIN FT		
516	516	EXPANSION AND CONTRACTION JOINTS	POUND		
516	516	JOINT SEALER	LIN FT		
517	517	RAILING TYPE 1	LIN FT		
517	517	RAILING TYPE 2	LIN FT		
518	518	6 IN. STD. PIPE DOWNSPOUT GALVANIZED STEEL 707.08 INC. SPEC.	LIN FT		
518	518	8 IN. STD. PIPE DOWNSPOUT GALVANIZED STEEL 707.08 INC. SPEC.	LIN FT		
518	518	PIPE HORIZONTAL CONDUCTORS	LIN FT		
518	518	PIPE HORIZONTAL CONDUCTORS	LUMP SUM		
518	518	POROUS BACKFILL	CU YD		
518	518	POROUS BACKFILL WITH FILTER FABRIC	CU YD		
518	518	SCUPPERS	EACH		
	518	SUBDRAINAGE FOR WEARING COURSE	LIN FT		
518	518	THROUGH HORIZONTAL CONDUCTORS	LIN FT		
518	518	THROUGH HORIZONTAL CONDUCTORS	LUMP SUM		
	519	PATCHING CONCRETE STRUCTURE	SQ FT		
520	520	PNEUMATICALLY PLACED MORTAR METHOD A	SQ FT		
	520	PNEUMATICALLY PLACED MORTAR METHOD B	SQ FT		
601	601	CONCRETE SLOPE PROTECTION	SQ YD	\$ 65.61	
601	601	PAVED GUTTER, TYPE _	LIN FT	\$ 60.92	TYPE 1 THRU 4 RANGE
601	601	RIPRAP USING 6" REINFORCED CONCRETE SLAB	CU YD	\$ 153.10	
601	601	ROCK CHANNEL PROTECTION TYPE B, WITH FILTER FABRIC	CU YD	\$ 72.02	
601	601	ROCK CHANNEL PROTECTION TYPE C, WITH FILTER FABRIC	CU YD	\$ 70.58	
602	602	CONCRETE MASONRY	CU YD	\$ 1,004.59	USE FOR DETERMINING PRICE OF ITEM 604, ENDWALLS AND ITEM 604, HEADWALLS
901	603	4" CONDUIT, TYPE F FOR UNDERDRAIN OUTLETS	LIN FT	\$ 12.18	
901	603	6" CONDUIT, TYPE F FOR DRAINAGE	LIN FT	\$ 14.88	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
901	603	6" CONDUIT, TYPE F FOR UNDERDRAIN OUTLET	LIN FT	\$ 15.06	
901	603	12" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 68.96	
901	603	12" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 77.24	
901	603	12" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 60.09	
901	603	12" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 67.30	
901	603	12" CONDUIT, TYPE F	LIN FT	\$ 49.57	
901	603	12" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 40.65	
901	603	15" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 72.41	
901	603	15" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 81.10	
901	603	15" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 63.22	
901	603	15" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 70.80	
901	603	15" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 45.48	
901	603	15" CONDUIT, TYPE F, CLASS _	LIN FT	\$ 57.62	
901	603	18" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 77.18	
901	603	18" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 86.44	
901	603	18" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 68.96	
901	603	18" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 77.24	
901	603	18" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 49.94	
901	603	21" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 89.65	
901	603	21" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 100.41	
901	603	21" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 80.49	
901	603	21" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 90.15	
901	603	21" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 60.40	
901	603	24" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 97.70	
901	603	24" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 112.35	
901	603	24" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 86.07	
901	603	24" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 98.98	
901	603	24" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 66.66	
901	603	27" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 116.66	
901	603	27" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 134.16	
901	603	27" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 91.95	
901	603	27" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 105.74	
901	603	27" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 75.04	
901	603	30" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 137.93	
901	603	30" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 158.62	
901	603	30" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 109.19	
901	603	30" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 125.57	
901	603	30" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 85.06	
901	603	33" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 153.10	
901	603	33" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 176.06	
901	603	33" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 141.81	
901	603	33" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 163.08	
901	603	33" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 94.07	
901	603	36" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 172.25	
901	603	36" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 198.09	
901	603	36" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 150.11	
901	603	36" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 172.63	
901	603	36" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 102.30	
901	603	42" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 206.89	
901	603	42" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 248.27	
901	603	42" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 154.88	
901	603	42" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 185.86	
901	603	42" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 111.41	
901	603	48" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 267.81	
901	603	48" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 321.37	
901	603	48" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 194.32	
901	603	48" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 233.18	
901	603	48" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 146.05	
901	603	54" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 343.39	
901	603	54" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 412.07	
901	603	54" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 222.71	
901	603	54" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 267.25	
901	603	60" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 356.31	
901	603	60" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 427.58	
901	603	GREATER THAN 60" DIA. CONDUIT	LIN FT	\$ -	USE ODOT AVG UNIT PRICE AWARDED

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
901	603	4-SIDED CONCRETE BOX CULVERTS - ALL SIZES	LIN FT	\$ -	USE ODOT AVG UNIT PRICE AWARDED
901	603	THREE-SIDED AND ARCH SHAPED CONCRETE CULVERTS	LIN FT	\$ -	USE ODOT AVG UNIT PRICE AWARDED
901	603	ELLIPTICAL CONDUITS - ALL SIZES	LIN FT	\$ -	USE ODOT AVG UNIT PRICE AWARDED
604	604	STANDARD CATCH BASIN 2 X 2	EACH	\$ 1,119.48	
604	604	STANDARD CATCH BASIN 2 X 2 (24" SIDE INLETS)	EACH	\$ 1,197.42	
604	604	STANDARD CATCH BASIN 3 X 3	EACH	\$ 1,598.38	
604	604	STANDARD CATCH BASIN 4 X 4	EACH	\$ 2,278.03	
604	604	STANDARD CATCH BASIN 5 X 5	EACH	\$ 3,042.91	
604	604	STANDARD CATCH BASIN 6 X 6	EACH	\$ 3,220.72	
	604	CATCH BASIN, NO. 3	EACH	\$2,560.34	
	604	CATCH BASIN, NO. 3A	EACH	\$2,000.90	
604	604	CATCH BASIN 12 IN. DIAMETER	EACH	\$ 692.40	
604	604	CATCH BASIN 24 IN. DIAMETER	EACH	\$ 896.76	
604	604	CATCH BASIN 42 IN. DIAMETER	EACH	\$ 1,055.03	
604	604	CATCH BASIN RECONSTRUCTED TO GRADE	EACH	\$ 971.43	
604	604	CATCH BASINS ADJUSTED TO GRADE	EACH	\$ 483.06	
604	604	CURB AND GUTTER INLET	EACH	\$ 1,425.25	
604	604	STANDARD CURB INLET MANHOLE	EACH	\$ 1,055.03	
604	604	HEADWALL FOR XX IN. PIPE	EACH	\$ -	Base price on Item 602 Concrete Masonry price per cy, then use cy quantity from Std. Drwgs for the specified pipe size to determine cost.
604	604	ENDWALL FOR XX IN. PIPE	EACH	\$ -	Base price on Item 602 Concrete Masonry price per cy, then use cy quantity from Std. Drwgs for the specified pipe size to determine cost.
604	604	INLETS ADJUSTED TO GRADE	EACH	\$ 579.66	
604	604	MANHOLES (TYPE A)	EACH	\$ 1,428.75	
604	604	MANHOLES (TYPE C - 48" BASE)	EACH	\$ 2,355.50	
604	604	MANHOLES (TYPE C - 60" BASE)	EACH	\$ 3,171.93	
604	604	MANHOLES (TYPE C - 72" BASE)	EACH	\$ 3,993.87	
604	604	MANHOLES (TYPE C - 84" BASE)	EACH	\$ 4,810.29	
604	604	MANHOLES (TYPE C - 96" BASE)	EACH	\$ 5,957.70	
604	604	MANHOLES (TYPE F)	EACH	\$ 6,454.18	
604	604	MANHOLES ADJUSTED TO GRADE	EACH	\$ 862.05	
604	604	MANHOLES AS PER PLAN	EACH		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
604	604	MANHOLES RECONSTRUCTED TO GRADE	EACH	\$ 1,449.07	
605	605	6 IN. AGGREGATE DRAINS	LIN FT	\$ 8.37	
605	605	4 IN. PIPE UNDERDRAIN	LIN FT	\$ 5.05	
605	605	6 IN. PIPE UNDERDRAIN	LIN FT	\$ 5.92	
606	606	ANCHOR ASSEMBLY (TYPE T)	EACH	\$ 683.20	
606	606	ANCHOR ASSEMBLY TYPE E-98	EACH	\$ 2,271.31	
606	606	BRIDGE TERMINAL ASSEMBLY	EACH	\$ 528.72	
606	606	GUARD RAIL (TYPE 5 WITH TUBULAR BACKUP)	LIN FT	\$ 98.62	
606	606	GUARD RAIL (TYPE 5)	LIN FT	\$ 17.24	
606	606	GUARDRAIL (TIMBER), AS PER PLAN	LIN FT		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
606	606	GUARD RAIL REBUILT (TYPE 5)	LIN FT	\$ 9.94	
607	607	FENCE (TYPE 47)	LIN FT	\$ 7.57	
607	607	FENCE (TYPE CL)	LIN FT	\$ 16.72	
607	607	GATE (TYPE 47)	EACH	\$ 791.30	
607	607	GATE (TYPE CL)	EACH	\$ 1,026.75	
608	608	4 IN. CONCRETE WALK (Specify width)	SQ FT	\$ 4.26	
608	608	CONCRETE STEPS	LIN FT	\$ 161.32	
608	608	WHEELCHAIR RAMP	EACH	\$ 2,298.79	
609	609	STANDARD CONCRETE CURB AND GUTTER	LIN FT	\$ 17.64	
609	609	CURB (TYPE 2)	LIN FT	\$ 8.80	USE ODOT AVG UNIT PRICE AWARDED

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS	
	612	CONCRETE MEDIAN	SQ YD	\$ 54.61		
	613	LOW STRENGTH MORTAR BACKFILL	CU YD	\$ 72.41		
614	614	DETOUR SIGN	LUMP SUM		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	
614	614	LAW ENFORCEMENT OFFICER WITH PATROL CAR	HOURL	\$ 50.00		
614	614	MAINTAINING TRAFFIC	LUMP SUM	\$ -		
614	614	PORTABLE CHANGEABLE MESSAGE SIGN, AS PER PLAN	SIGN MNTH		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	
615	615	PAVEMENT FOR MAINTAINING TRAFFIC	SQ YD		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	
616	616	CALCIUM CHLORIDE	TONS	\$ 316.97	REQ'D. ON ALL ESTIMATES	
616	616	WATER	M GALLON	\$ 36.95	REQ'D. ON ALL ESTIMATES	
617	617	COMPACTED AGGREGATE, TYPE A	CU YD	\$ 37.18		
617	617	SHOULDER RECONDITIONING	CU YD	\$ 28.73		
623	623	CONSTRUCTION LAYOUT STAKES	LUMP SUM	\$ 8,606.00	REQ'D. ON ALL ESTIMATES	
		MOBILIZATION - REQUIRED ON ALL ESTIMATES		\$ -		
624	624	MOBILIZATION (Projects less than \$50,000, mobilization shall be 15% of estimate)	-			
624	624	MOBILIZATION (Projects between \$50,000 and \$125,000, 12.5% of estimate)	-			
624	624	MOBILIZATION (Projects between \$125,000 and \$200,000, 10% of estimate)	-			
624	624	MOBILIZATION (Projects greater than \$200,000 shall be lump sum)	LUMP SUM	\$ 22,066.00		
625	625	ANCHOR BOLT SET	EACH		<i>All 625 prefix item costs for projects shall use ODOT Summary of Contracts Awarded Unit Prices</i>	
625	625	CABLE SPLICING KIT	EACH			
625	625	CONDUIT, 2" PVC	LIN FT			
625	625	CONDUIT, 3/4" PVC	LIN FT			
625	625	CONDUIT, 4" GRC STEEL SLEEVE	LIN FT			
625	625	CONNECTOR KIT, FUSED, TYPE II	EACH			
625	625	CONNECTOR KIT, FUSED, TYPE III	EACH			
625	625	CONTROL ENCLOSURE WITH FOUNDATION	EACH			
625	625	GROUND ROD	EACH			
625	625	LIGHT POLE FOUNDATION				
625	625	LIGHT POLE WITH TRANSFORMER BASE	EACH			
625	625	LUMINAIRE, TYPE II	EACH			
625	625	LUMINAIRE, TYPE III	EACH			
625	625	NO. 10 AWG, TYPE XHHW, 600V POLE & BRACKET	LIN FT			
625	625	NO. 12 AWG, 600V CONTROL CABLE	LIN FT			
625	625	NO. 4 AWG, TYPE XHHW, 600V DISTRIBUTION CABLE	LIN FT			
625	625	NO. 8 AWG, GROUND WIRE, 600V	LIN FT			
625	625	POWER SERVICE	EACH			
625	625	PULLBOX	EACH			
625	625	TRENCH	LIN FT			
625	625	TRENCH UNDER PAVEMENT	LIN FT			
630	630	GROUND MOUNTED SUPPORT, NO 2 POST	LIN FT	\$ 8.05		
630	630	GROUND MOUNTED SUPPORT, NO 3 POST	LIN FT	\$ 9.20		
630	630	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL	EACH	\$ 12.48		
630	630	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL	EACH	\$ 10.02		
630	630	REMOVAL OF GROUND MOUNTED SIGN AND RE-ERECTION	EACH	\$ 61.50		
630	630	SIGN, DOUBLE FACED STREET NAME	EACH	\$ 172.41		
630	630	SIGN, DOUBLE FACED W/GROUND MOUNTED SUPPORT	EACH	\$ 172.41		
630	630	SIGN, FLAT SHEET (Specify sign type, e.g., Stop Sign, etc.)	SQ FT	\$ 16.67		
630	630	SPEED LIMIT SIGN W/GROUND MOUNTED SUPPORT	EACH	\$ 172.41		
630	630	STOP SIGN W/GROUND MOUNTED SUPPORT	EACH	\$ 189.65		
630	630	STREET NAME SIGN SUPPORT	EACH	\$ 229.88		
634	634	GABION EMBANKMENT	CU YD	\$ 164.82		
644	644	CENTERLINE	MILE	\$ 3,794.28		
644	644	CHANNELIZING	LIN FT	\$ 2.18		
644	644	CROSSWALK LINE	LIN FT	\$ 2.87		
644	644	EDGE LINE	MILE	\$ 1,829.54		

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
644	644	ISLAND MARKING	SQ FT	\$ 2.84	
644	644	LANE ARROW	EACH	\$ 132.18	
644	644	REMOVAL OF PAVEMENT MARKING	FT	\$ 1.72	
644	644	SCHOOL SYMBOL MARKING, 96-IN	EACH	\$ 574.70	
644	644	TURN ARROW, 96-IN	EACH	\$ 509.38	
644	644	STOP LINE	LIN FT	\$ 8.05	
644	644	TRANSVERSE LINE	LIN FT	\$ 6.90	
644	644	WORD ON PAVEMENT, 72 IN.	EACH	\$ 149.42	
	651	TOPSOIL STOCKPILED	EACH	\$ 6.44	
	653	TOPSOIL FURNISHED AND PLACED	CU YD	\$ 34.48	
	659	AGRICULTURAL LIMING	TON	\$ 57.93	
	659	COMMERCIAL FERTILIZER	TON	\$ 724.12	REQ'D. ON ALL ESTIMATES
659	659	REPAIR SEEDING AND MULCHING	SQ YD	\$ 1.15	REQ'D. ON ALL ESTIMATES
659	659	SEEDING AND MULCHING	SQ YD	\$ 1.55	REQ'D. ON ALL ESTIMATES < 10,000 SQ YDS
659	659	SEEDING AND MULCHING	SQ YD	\$ 0.86	USE ON MAINTENANCE BOND ESTIMATES OR WHEN QUANTITIES ARE > 10,000 SQ YDS
659	659	WATER	M GALLON	\$ 33.79	REQ'D. ON ALL ESTIMATES
660	660	SODDING	SQ YD	\$ 5.33	
667	667	SEEDING AND JUTE MATTING	SQ YD	\$ 3.80	
670	670	DITCH EROSION PROTECTION	SQ YD	\$ 1.78	
670	670	SLOPE EROSION CONTROL	SQ YD	\$ 1.95	
	SPEC	TEMPORARY BARRICADES	EACH	\$ 758.60	
604	SPEC	ORIFICE PLATE	EACH	\$ 344.82	
SPEC	SPEC	GLASGRID OR APPROVED EQUAL	SQ YD	\$ 14.64	REQ'. ON ALL ROAD WIDENINGS
SPEC	SPEC	GEOGRID OR APPROVED EQUAL	SQ YD	\$ 8.55	REQ'. ON ALL ROAD WIDENINGS
SPEC	SPEC	SEDIMENT BASIN RISER	EACH		PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS
SPEC	SPEC	PRECAST CONCRETE RIPRAP MATS	SQ YD	PRICE TO BE DETERMINED ON PROJECT BY PROJECT BASIS	USE AS ALTERNATE TO ROCK CHANNEL PROTECTION. MUST BE APPROVED BY DCEO AND SWCD.