

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
ITEM	ITEM				
201	201	CLEARING AND GRUBBING	LIN FT	\$ 2.60	Use for basis of calc. when less than or equal to 5280 lin ft of street
201	201	CLEARING AND GRUBBING	LIN FT	\$ 1.74	Use for basis of calc. when greater than 5280 lin ft of street
201	201	CLEARING AND GRUBBING	LIN FT	\$ 3.04	Use for basis of calc. when less than or equal to 5280 lin ft of street (Wooded area)
201	201	CLEARING AND GRUBBING	LIN FT	\$ 2.17	Use for basis of calc. when greater than 5280 lin ft of street (Wooded area)
201	201	TREES AND/OR STUMPS REMOVED	EACH	\$ 286.50	
202	202	BASE REMOVED AND DISPOSED OF	SQ YD	\$ 9.38	
202	202	BUILDINGS REMOVED	LUMP SUM	\$ -	Price to be determined on project to project basis
202	202	CATCH BASIN ABANDONED	EACH	\$ 312.54	
202	202	CATCH BASIN REMOVED	EACH	\$ 364.63	
202	202	CONCRETE PAVEMENT REMOVED AND DISPOSED OF	SQ YD	\$ 9.69	
202	202	CURB AND GUTTER REMOVED AND DISPOSED OF	LIN FT	\$ 8.86	
202	202	CURB INLET REMOVED	EACH	\$ 364.63	
202	202	CURB REMOVED AND DISPOSED OF	LIN FT	\$ 7.81	
202	202	DRIVE APPROACH REMOVED AND DISPOSED OF	SQ YD	\$ 8.33	
202	202	FENCE REMOVED	LIN FT	\$ 5.21	
202	202	FENCE REMOVED FOR REUSE	LIN FT	\$ 10.42	
202	202	GATE REMOVED	EACH	\$ 153.98	
202	202	GUARD RAIL REMOVED AND DISPOSED OF	LIN FT	\$ 3.65	
202	202	HEADWALL REMOVED	EACH	\$ 212.01	
202	202	INLET ABANDONED	EACH	\$ 364.63	
202	202	MANHOLE ABANDONED	EACH	\$ 395.88	
202	202	MANHOLE REMOVED	EACH	\$ 468.81	
202	202	PAVEMENT REMOVED AND DISPOSED OF	SQ YD	\$ 6.41	
202	202	PIPE REMOVED	LIN FT	\$ 36.46	
202	202	PIPE REMOVED FOR STORAGE	LIN FT	\$ 10.26	
202	202	PORTIONS OF STRUCTURES REMOVED	LUMP SUM	\$ -	Price to be determined on project to project basis
202	202	PRE-CAST TRAFFIC DIVIDERS REMOVED FOR REUSE	EACH	\$ 19.64	
202	202	SANDSTONE CURB REMOVED AND DISPOSED OF	LIN FT	\$ 4.55	
202	202	SEPTIC TANK REMOVED	EACH	\$ 1,123.06	
202	202	SIDEWALK REMOVED AND DISPOSED OF	SQ YD	\$ 14.53	
202	202	SIDEWALK REMOVED AND DISPOSED OF	LIN FT	\$ 6.46	
202	202	SPECIAL - DRILLED WATER WELL ABANDONED	EACH	\$ 783.43	
202	202	SPECIAL - FILL AND PLUG EXISTING CONDUIT	LIN FT	\$ 38.96	
202	202	SPECIAL - PIPE CLEANOUT	LIN FT	\$ 14.48	
202	202	STRUCTURES AND OBSTRUCTIONS REMOVED	LUMP SUM	\$ -	Price to be determined on project to project basis
202	202	UNDERGROUND STORAGE TANK REMOVED	LUMP SUM	\$ -	Price to be determined on project to project basis
202	202	WEARING COURSE REMOVED AND DISPOSED OF	SQ YD	\$ 6.56	
203	203	BORROW	CU YD	\$ 7.97	
203	203	EMBANKMENT	CU YD	\$ 11.93	
203	203	EXCAVATION INCLUDING EMBANKMENT CONSTRUCTION	CU YD	\$ 6.77	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
203	203	EXCAVATION NOT INCLUDING EMBANKMENT CONSTRUCTION	CU YD	\$ 13.13	
204	203	PROOF ROLLING	HOURL	\$ 182.32	REQ'D. ON ALL ESTIMATES
204	203	SUBGRADE COMPACTION	SQ YD	\$ 1.04	REQ'D. ON ALL ESTIMATES
	203	WATER	M GAL	\$ 36.46	
	207	BEAVER DAM	EACH	\$ 53.81	
207	207	CONSTRUCTION ENTRANCE	SQ YD	\$ 5.37	
207	207	FILTER FABRIC FENCE	LIN FT	\$ 2.71	REQ'D. ON ALL ESTIMATES
	207	GRAVEL CURB - INLET FILTER	EACH	\$ 179.29	
207	207	INLET PROTECTION	EACH	\$ 59.90	
207	207	STRAW WADDLES	EACH	\$ 15.63	REQ'D. ON ALL ESTIMATES
207	207	TEMPORARY SEEDING AND MULCHING	SQ YD	\$ 0.89	REQ'D. ON ALL ESTIMATES
252	252	PERMANENT PAVEMENT REPLACED (TYPE 1A - RIGID BASE)	SQ YD	\$ 41.83	
252	252	PERMANENT PAVEMENT REPLACED (TYPE 1A - RIGID BASE)	CU YD	\$ 167.37	
252	252	PERMANENT PAVEMENT REPLACED [TYPE 1B-FLEXIBLE (NO BASE)]	SQ YD	\$ 35.84	
252	252	PERMANENT PAVEMENT REPLACED [TYPE 1B-FLEXIBLE (NO BASE)]	CU YD	\$ 143.46	
252	252	PERMANENT PAVEMENT REPLACED [TYPE 1C-FLEXIBLE (WITH BASE)]	SQ YD	\$ 29.90	
252	252	PERMANENT PAVEMENT REPLACED [TYPE 1C-FLEXIBLE (WITH BASE)]	CU YD	\$ 119.55	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIA (FOR BITUMINOUS AND BRICK)]	SQ YD	\$ 32.30	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIA (FOR BITUMINOUS AND BRICK)]	CU YD	\$ 131.48	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIB (FOR CONCRETE STREETS)]	SQ YD	\$ 29.90	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIB (FOR CONCRETE STREETS)]	CU YD	\$ 119.55	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIC (FOR FLEXIBLE STREETS)]	SQ YD	\$ 26.31	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIC (FOR FLEXIBLE STREETS)]	CU YD	\$ 107.57	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IID (FOR BRICK STREETS)]	SQ YD	\$ 71.73	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IID (FOR BRICK STREETS)]	CU YD	\$ 286.86	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIIA (FOR ASPHALT DRIVES)]	SQ YD	\$ 21.51	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIIA (FOR ASPHALT DRIVES)]	CU YD	\$ 89.65	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIIB (FOR CONCRETE DRIVES)]	SQ YD	\$ 29.90	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIIB (FOR CONCRETE DRIVES)]	CU YD	\$ 119.55	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIIC (FOR GRAVEL DRIVES)]	SQ YD	\$ 14.32	
252	252	PERMANENT PAVEMENT REPLACED [TYPE IIIC (FOR GRAVEL DRIVES)]	CU YD	\$ 59.80	
	252	FULL DEPTH PAVEMENT SAWING	LIN FT	\$ 2.34	
251	253	PAVEMENT REPAIR, AS PER PLAN	SQ YD	\$ 38.55	
254	254	PAVEMENT PLANNING	SQ YD	\$ 4.65	
301	301	BITUMINOUS AGGREGATE BASE (Specify Thickness)	CU YD	\$ 140.00	
304	304	AGGREGATE BASE (Specify Thickness)	CU YD	\$ 50.00	
911		COMPACTED BACKFILL	CU YD	\$ 25.00	
	304	COMPACTED GRANULAR BACKFILL	CU YD	\$ 25.00	
912		COMPACTED GRANULAR MATERIAL	CU YD	\$ 40.00	
305	305	8 IN. PORTLAND CEMENT CONCRETE BASE	SQ YD	\$ 54.59	Arterial
305	305	6 IN. PORTLAND CEMENT CONCRETE BASE	SQ YD	\$ 53.44	Arterial
305	305	5 IN. PORTLAND CEMENT CONCRETE BASE	SQ YD	\$ 50.42	Arterial
310		SUBBASE	CU YD	\$ 25.00	Based on 1997 Columbus CMS Item No.
402		ASPHALT CONCRETE (Specify Thickness)	CU YD	\$ 135.00	
402		ASPHALT CONCRETE, PG GRADE (DRIVEWAYS)	CU YD	\$ 180.00	
404		ASPHALT CONCRETE (Specify Thickness)	CU YD	\$ 185.00	
404		ASPHALT CONCRETE, PG GRADE (DRIVEWAYS)	CU YD	\$ 193.00	
407	407	TACK COAT	SQ YD	\$ 1.90	
407	407	TACK COAT	GALLON	\$ 3.25	
408	408	BITUMINOUS PRIME COAT	SQ YD	\$ 2.20	
409	409	SEAL COAT BITUMINOUS MATERIAL	GALLON	\$ 3.96	
409	409	SEAL COAT COVER AGGREGATE	TONS	\$ 45.53	
410	410	TRAFFIC COMPACTED SURFACE TYPE A	CU YD	\$ 44.38	
410	410	TRAFFIC COMPACTED SURFACE TYPE B	CU YD	\$ 50.94	
410	410	TRAFFIC COMPACTED SURFACE TYPE C	CU YD	\$ 34.90	
411	411	STABILIZED CRUSHED AGGREGATE	CU YD	\$ 45.34	
413		CRACK SEALING - - HOT APPLIED	LIN FT	\$ 0.57	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
413		CRACK SEALING - - HOT APPLIED	SQ YD	\$ 2.40	
	422	SINGLE CHIP SEAL WITH POLYMER BINDER	SQ YD	\$ 1.30	
	448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-22	CU YD	\$ 135.00	
	448	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22	CU YD	\$ 185.00	
	452	NON-REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT, 8" IN DRIVEWAY APPROACH	SQ YD	\$ 52.09	
452	452	NON-REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT, 6" IN DRIVEWAY APPROACH	SQ YD	\$ 49.80	
454		PAVEMENT RELIEF JOINTS	LIN FT	\$ 14.32	
502	502	TEMPORARY BRIDGE	LUMP SUM	\$ -	All 500 prefix item costs for Delaware County CIP projects shall use ODOT Summary of Contracts Awarded Unit Prices
503	503	COFFERDAMS, CRIBS AND SHEETING	LUMP SUM	\$ -	
503	503	ROCK EXCAVATION	CU YD	\$ 59.80	
503	503	SHALE EXCAVATION	CU YD	\$ 59.80	
503	503	UNCLASSIFIED EXCAVATION	CU YD	\$ 26.30	
503	503	UNCLASSIFIED EXCAVATION - ROCK	CU YD	\$ 40.63	
503	503	UNCLASSIFIED EXCAVATION - SHALE	CU YD	\$ 40.63	
	505	TEST PILE	LUMP SUM	\$ -	
506	506	PILE TEST LOAD	LUMP SUM	\$ -	
506	506	SUBSEQUENT PILE TEST LOAD	EACH	\$ 4,375.56	
507	507	PREBORED HOLES	LIN FT	\$ 47.82	
507	507	STEEL SHOES	EACH	\$ 87.51	
507	507	STEEL POINTS	EACH	\$ 74.49	
507	507	STEEL PILES (H.P. 12 X 53)	LIN FT	\$ 26.31	
507	507	STEEL PILES (H.P. 14 X 73)	LIN FT	\$ 34.66	
507	507	STEEL PILES (H.P. 10 X 42)	LIN FT	\$ 23.91	
507	507	12 IN. DIAMETER (CAST IN PLACE) REINFORCED CONCRETE PILES	LIN FT	\$ 26.31	
507	507	14 IN. DIAMETER (CAST IN PLACE) REINFORCED CONCRETE PILES	LIN FT	\$ 32.30	
509	509	REINFORCING STEEL	POUND	\$ 1.35	
510	510	DOWEL HOLES	EACH	\$ 11.98	
510	510	DOWEL HOLES	LIN FT	\$ 13.13	
511	511	CLASS C CONCRETE	CU YD	\$ 390.68	
	511	CLASS C CONCRETE ABUTMENTS	CU YD	\$ 390.68	
	511	CLASS C CONCRETE FOOTINGS	CU YD	\$ 312.54	
	511	CLASS C CONCRETE PIERS ABOVE FOOTINGS	CU YD	\$ 442.77	
	511	CLASS C CONCRETE RETAINING WALLS	CU YD	\$ 416.72	
	511	CLASS S CONCRETE SUPER-STRUCTURE	CU YD	\$ 625.08	
	512	SEALING OF CONCRETE SURFACES (EPOXY-URETHANE)	SQ YD	\$ 10.89	
	512	SEALING OF CONCRETE SURFACES (NON-EPOXY)	SQ YD	\$ 7.08	
512	512	TYPE 2 WATERPROOFING (FOR BOX CULVERTS)	SQ YD	\$ 15.11	
512	512	TYPE 3 WATERPROOFING (FOR BOX CULVERTS)	SQ YD	\$ 21.98	
512	512	TYPE A WATERPROOFING	SQ YD	\$ 32.82	
512	512	TYPE B WATERPROOFING	SQ YD	\$ 28.44	
512	512	TYPE D WATERPROOFING	SQ YD	\$ 15.37	
513	513	STRUCTURAL STEEL	POUND	\$ 2.60	
513	513	STRUCTURAL STEEL	LUMP SUM	\$ -	
	513	WELDED STUD SHEAR CONNECTORS	EACH	\$ 4.69	
514	514	FIELD PAINTING OF STRUCTURAL STEEL	POUND	\$ 1.04	
514	514	FIELD PAINTING OF STRUCTURAL STEEL	LUMP SUM	\$ -	
516	516	EXPANSION AND CONTRACTION JOINTS	LIN FT	\$ 298.84	
516	516	EXPANSION AND CONTRACTION JOINTS	POUND	\$ 2.40	
516	516	JOINT SEALER	LIN FT	\$ 5.98	
517	517	RAILING TYPE 1	LIN FT	\$ 131.53	
517	517	RAILING TYPE 2	LIN FT	\$ 107.57	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
518	518	6 IN. STD. PIPE DOWNSPOUT GALVANIZED STEEL 707.08 INC. SPEC.	LIN FT	\$ 99.23	
518	518	8 IN. STD. PIPE DOWNSPOUT GALVANIZED STEEL 707.08 INC. SPEC.	LIN FT	\$ 95.64	
518	518	PIPE HORIZONTAL CONDUCTORS	LIN FT	\$ 68.13	
518	518	PIPE HORIZONTAL CONDUCTORS	LUMP SUM	\$ -	
518	518	POROUS BACKFILL	CU YD	\$ 34.69	
518	518	POROUS BACKFILL WITH FILTER FABRIC	CU YD	\$ 59.38	
518	518	SCUPPERS	EACH	\$ 596.64	
	518	SUBDRAINAGE FOR WEARING COURSE	LIN FT	\$ 17.92	
518	518	THROUGH HORIZONTAL CONDUCTORS	LIN FT	\$ 102.83	
518	518	THROUGH HORIZONTAL CONDUCTORS	LUMP SUM	\$ -	
	519	PATCHING CONCRETE STRUCTURE	SQ FT	\$ 47.82	
520	520	PNEUMATICALLY PLACED MORTAR METHOD A	SQ FT	\$ 47.82	
	520	PNEUMATICALLY PLACED MORTAR METHOD B	SQ FT	\$ 52.61	
521		BRIDGE TIMBERS	M.B.M.	\$ 4,781.29	
601	601	CONCRETE SLOPE PROTECTION	SQ YD	\$ 59.47	
601	601	PAVED GUTTER, TYPE _	LIN FT	\$ 55.22	TYPE 1 THRU 4 RANGE
601	601	RIPRAP USING 6" REINFORCED CONCRETE SLAB	CU YD	\$ 138.77	
601	601	ROCK CHANNEL PROTECTION TYPE B, WITH FILTER	CU YD	\$ 65.28	
601	601	ROCK CHANNEL PROTECTION TYPE C, WITH FILTER	CU YD	\$ 63.98	
602	602	CONCRETE MASONRY	CU YD	\$ 910.55	
603	603	4" CONDUIT, TYPE F FOR UNDERDRAIN OUTLETS	LIN FT	\$ 11.04	
603	603	6" CONDUIT, TYPE F FOR DRAINAGE	LIN FT	\$ 13.49	
603	603	6" CONDUIT, TYPE F FOR UNDERDRAIN OUTLET	LIN FT	\$ 13.65	
603	603	12" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 62.51	
603	603	12" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 70.01	
603	603	12" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 54.47	
603	603	12" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 61.00	
603	603	12" CONDUIT, TYPE F	LIN FT	\$ 44.93	
603	603	12" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 36.85	
603	603	15" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 65.63	
603	603	15" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 73.51	
603	603	15" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 57.30	
603	603	15" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 64.17	
603	603	15" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 41.22	
603	603	15" CONDUIT, TYPE F, CLASS _	LIN FT	\$ 52.23	
603	603	18" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 69.96	
603	603	18" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 78.35	
603	603	18" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 62.51	
603	603	18" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 70.01	
603	603	18" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 45.27	
603	603	21" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 81.26	
603	603	21" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 91.01	
603	603	21" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 72.96	
603	603	21" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 81.71	
603	603	21" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 54.75	
603	603	24" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 88.55	
603	603	24" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 101.84	
603	603	24" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 78.01	
603	603	24" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 89.71	
603	603	24" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 60.42	
603	603	27" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 105.74	
603	603	27" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 121.60	
603	603	27" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 83.34	
603	603	27" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 95.85	
603	603	27" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 68.02	
603	603	30" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 125.02	
603	603	30" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 143.77	
603	603	30" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 98.97	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
603	603	30" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 113.82	
603	603	30" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 77.09	
603	603	33" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 138.77	
603	603	33" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 159.58	
603	603	33" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 128.54	
603	603	33" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 147.82	
603	603	33" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 85.26	
603	603	36" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 156.12	
603	603	36" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 179.54	
603	603	36" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 136.06	
603	603	36" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 156.47	
603	603	36" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 92.72	
603	603	42" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 187.52	
603	603	42" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 225.03	
603	603	42" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 140.38	
603	603	42" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 168.46	
603	603	42" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 100.98	
603	603	48" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 242.74	
603	603	48" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 291.29	
603	603	48" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 176.13	
603	603	48" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 211.35	
603	603	48" CONDUIT, TYPE C, CLASS _	LIN FT	\$ 132.38	
603	603	54" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 311.25	
603	603	54" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 373.50	
603	603	54" CONDUIT, TYPE B, CLASS _	LIN FT	\$ 201.86	
603	603	54" CONDUIT, TYPE B, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 242.23	
603	603	60" CONDUIT, TYPE A, CLASS _	LIN FT	\$ 322.96	
603	603	60" CONDUIT, TYPE A, CLASS _ WITH CONCRETE ENCASEMENT	LIN FT	\$ 387.55	
603	603	ELLIPTICAL CONDUITS	LIN FT	\$ -	USE ODOT AVG UNIT PRICE AWARDED
604	604	2-2A CATCH BASIN	EACH	\$ 1,085.33	
604	604	2-2B CATCH BASIN	EACH	\$ 1,014.68	
604	604	2-3 CATCH BASIN	EACH	\$ 1,448.76	
604	604	2-4 CATCH BASIN	EACH	\$ 2,064.79	
604	604	2-5 CATCH BASIN	EACH	\$ 2,758.06	
604	604	2-6 CATCH BASIN	EACH	\$ 2,919.23	
604	604	42 IN. CURB INLETS	EACH	\$ 836.72	
604	604	42 IN. CURB INLETS WITH EXTENSIONS	EACH	\$ 956.27	
604	604	60 IN. CURB INLETS	EACH	\$ 956.27	
604	604	60 IN. CURB INLETS WITH EXTENSIONS	EACH	\$ 1,075.81	
604	604	CATCH BASIN (48 IN. INLET)	EACH	\$ 956.27	
	604	CATCH BASIN 12 IN. DIAMETER	EACH	\$ 627.58	
	604	CATCH BASIN 24 IN. DIAMETER	EACH	\$ 812.81	
604	604	CATCH BASIN 3 X 3	EACH	\$ 1,448.76	
604	604	CATCH BASIN 4 X 4	EACH	\$ 2,064.79	
604	604	CATCH BASIN 42 IN. DIAMETER	EACH	\$ 812.81	
604	604	CATCH BASIN 5 X 5	EACH	\$ 2,758.06	
604	604	CATCH BASIN 6 X 6	EACH	\$ 2,919.23	
604	604	CATCH BASIN RECONSTRUCTED TO GRADE	EACH	\$ 880.50	
604	604	CATCH BASINS ADJUSTED TO GRADE	EACH	\$ 437.84	
604	604	CURB AND GUTTER INLET	EACH	\$ 1,291.83	
604	604	HEADWALL FOR 12 IN. PIPE	EACH	\$ 713.63	
604	604	HEADWALL FOR 15 IN. PIPE	EACH	\$ 891.78	
604	604	HEADWALL FOR 18 IN. PIPE	EACH	\$ 1,069.93	
604	604	HEADWALL FOR 21 IN. PIPE	EACH	\$ 1,248.08	
604	604	HEADWALL FOR 24 IN. PIPE	EACH	\$ 1,426.22	
604	604	HEADWALL FOR 30 IN. PIPE	EACH	\$ 1,782.52	
604	604	INLETS ADJUSTED TO GRADE	EACH	\$ 525.40	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
604	604	MANHOLES (TYPE A CLASS A)	EACH	\$ 1,168.90	
604	604	MANHOLES (TYPE A CLASS B)	EACH	\$ 1,291.83	
604	604	MANHOLES (TYPE A CLASS C)	EACH	\$ 1,500.19	
604	604	MANHOLES (TYPE A CLASS D)	EACH	\$ 1,367.36	
604	604	MANHOLES (TYPE A CLASS E)	EACH	\$ 1,162.23	
604	604	MANHOLES (TYPE A CLASS F)	EACH	\$ 1,203.28	
604	604	MANHOLES (TYPE A CLASS G)	EACH	\$ 1,230.63	
604	604	MANHOLES (TYPE A CLASS H)	EACH	\$ 1,264.80	
604	604	MANHOLES (TYPE A CLASS J)	EACH	\$ 1,333.19	
604	604	MANHOLES (TYPE A CLASS K)	EACH	\$ 1,367.36	
604	604	MANHOLES (TYPE C) (Specify Grate Lid/Special Casting, if req'd.)	EACH	\$ 2,083.60	
604	604	MANHOLES (TYPE D) (Specify Grate Lid/Special Casting, if req'd.)	EACH	\$ 1,168.90	
604	604	MANHOLES (TYPE E) (Specify Grate Lid/Special Casting, if req'd.)	EACH	\$ 5,104.82	
604	604	MANHOLES (TYPE F) (Specify Grate Lid/Special Casting, if req'd.)	EACH	\$ 1,168.90	
604	604	MANHOLES ADJUSTED TO GRADE	EACH	\$ 781.35	
604	604	MANHOLES AS PER PLAN	EACH	\$ 1,401.22	
604	604	MANHOLES RECONSTRUCTED TO GRADE	EACH	\$ 1,313.42	
604	604	NO. 5 CATCH BASIN	EACH	\$ 2,517.33	
604	604	RECTANGULAR CATCH BASIN	EACH	\$ 785.00	
604	604	STANDARD CATCH BASIN	EACH	\$ 785.00	
604	604	STANDARD CATCH BASIN 2 X 2	EACH	\$ 1,014.68	
604	604	STANDARD CATCH BASIN 2 X 2 (24" SIDE INLETS)	EACH	\$ 1,085.33	
604	604	STANDARD CATCH BASIN WITH 24 IN. SIDE INLETS	EACH	\$ 693.32	
604	604	STANDARD CURB INLET	EACH	\$ 812.81	
604	604	STANDARD CURB INLET MANHOLE	EACH	\$ 956.27	
604	604	STANDARD CURB INLET MANHOLE WITH H-H TRAP	EACH	\$ 1,045.92	
604	604	STANDARD CURB INLET WITH H-H TRAP	EACH	\$ 1,623.12	
605	605	6 IN. AGGREGATE DRAINS	LIN FT	\$ 7.58	
605	605	4 IN. PIPE UNDERDRAIN	LIN FT	\$ 4.57	
605	605	6 IN. PIPE UNDERDRAIN	LIN FT	\$ 5.37	
606	606	ANCHOR ASSEMBLY (TYPE T)	LIN FT	\$ 619.25	
606	606	ANCHOR ASSEMBLY TYPE E-98	EACH	\$ 2,058.69	
606	606	BRIDGE TERMINAL ASSEMBLY	EACH	\$ 479.23	
606	606	GUARD RAIL (TYPE 5 WITH TUBULAR BACKUP)	LIN FT	\$ 89.39	
606	606	GUARD RAIL (TYPE 5)	LIN FT	\$ 15.63	
606	606	GUARD RAIL REBUILT (TYPE 5)	LIN FT	\$ 9.01	
607	607	FENCE (TYPE 47)	LIN FT	\$ 6.87	
607	607	FENCE (TYPE CL)	LIN FT	\$ 15.16	
607	607	GATE (TYPE 47)	EACH	\$ 717.23	
607	607	GATE (TYPE CL)	EACH	\$ 930.64	
608	608	4 IN. CONCRETE WALK (Specify width)	SQ FT	\$ 3.87	
608	608	CONCRETE STEPS	LIN FT	\$ 146.22	
608	608	WHEELCHAIR RAMP	EACH	\$ 2,083.60	
609	609	STANDARD CONCRETE CURB AND GUTTER	LIN FT	\$ 15.99	
609	609	CURB (TYPE 2B)	LIN FT	\$ 7.98	
	613	LOW STRENGTH MORTAR BACKFILL	CU YD	\$ 65.63	
614	614	DETOUR SIGN	LUMP SUM	\$ 9,376.20	
614	614	LAW ENFORCEMENT OFFICER WITH PATROL CAR	hour	\$ 45.32	
614	614	MAINTAINING TRAFFIC	LUMP SUM	\$ -	MUST PROVIDE ESTIMATE WHEN WORKING ON EXISTING ROAD
614	614	PORTABLE CHANGEABLE MESSAGE SIGN, AS PER PLAN	SIGN MNTH	\$ 1,069.15	
615	615	PAVEMENT FOR MAINTAINING TRAFFIC	SQ YD	\$ 35.63	
616	616	CALCIUM CHLORIDE	TONS	\$ 287.30	REQ'D. ON ALL ESTIMATES
616	616	WATER	M GALLON	\$ 33.49	REQ'D. ON ALL ESTIMATES
617	617	COMPACTED AGGREGATE, TYPE A	CU YD	\$ 33.70	
617	617	SHOULDER RECONDITIONING	CU YD	\$ 26.05	
623	623	CONSTRUCTION LAYOUT STAKES	LUMP SUM	\$ 7,800.00	REQ'D. ON ALL ESTIMATES

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
			MOBILIZATION - REQUIRED ON ALL ESTIMATES		
624	624	MOBILIZATION (Projects less than \$50,000, mobilization shall be 15% of estimate)	-	\$	
624	624	MOBILIZATION (Projects between \$50,000 and \$125,000, 12.5% of estimate)	-	\$	
624	624	MOBILIZATION (Projects between \$125,000 and \$200,000, 10% of estimate)	-	\$	
624	624	MOBILIZATION (Projects greater than \$200,000 shall be lump sum)	LUMP SUM	\$ 20,000.00	
625	625	ANCHOR BOLT SET	EACH	\$ 65.22	
625	625	CABLE SPLICING KIT	EACH	\$ 59.90	
625	625	CONDUIT, 2" PVC	LIN FT	\$ 5.42	
625	625	CONDUIT, 3/4" PVC	LIN FT	\$ 4.43	
625	625	CONDUIT, 4" GRC STEEL SLEEVE	LIN FT	\$ 8.23	
625	625	CONNECTOR KIT, FUSED, TYPE II	EACH	\$ 63.19	
625	625	CONNECTOR KIT, FUSED, TYPE III	EACH	\$ 62.72	
625	625	CONTROL ENCLOSURE WITH FOUNDATION	EACH	\$ 2,062.97	
625	625	GROUND ROD	EACH	\$ 151.27	
625	625	LIGHT POLE FOUNDATION		\$ 1,098.58	
625	625	LIGHT POLE WITH TRANSFORMER BASE	EACH	\$ 2,196.90	
625	625	LUMINAIRE, TYPE II	EACH	\$ 359.42	
625	625	LUMINAIRE, TYPE III	EACH	\$ 359.42	
625	625	NO. 10 AWG, TYPE XHHW, 600V POLE & BRACKET	LIN FT	\$ 0.99	
625	625	NO. 12 AWG, 600V CONTROL CABLE	LIN FT	\$ 0.89	
625	625	NO. 4 AWG, TYPE XHHW, 600V DISTRIBUTION CABLE	LIN FT	\$ 1.56	
625	625	NO. 8 AWG, GROUND WIRE, 600V	LIN FT	\$ 1.35	
625	625	POWER SERVICE	EACH	\$ 2,630.34	
625	625	PULLBOX	EACH	\$ 608.20	
625	625	TRENCH	LIN FT	\$ 3.59	
625	625	TRENCH UNDER PAVEMENT	LIN FT	\$ 25.42	
630	630	GROUND MOUNTED SUPPORT, NO 2 POST	LIN FT	\$ 7.29	
630	630	GROUND MOUNTED SUPPORT, NO 3 POST	LIN FT	\$ 8.33	
630	630	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL	EACH	\$ 11.31	
630	630	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL	EACH	\$ 9.08	
630	630	REMOVAL OF GROUND MOUNTED SIGN AND RE-ERECTION	EACH	\$ 55.75	
630	630	SIGN, DOUBLE FACED STREET NAME - COLLECTOR	EACH	\$ 156.27	
630	630	SIGN, DOUBLE FACED STREET NAME - RESIDENTIAL	EACH	\$ 104.18	
630	630	SIGN, DOUBLE FACED W/GROUND MOUNTED SUPPORT - COLLECTOR	EACH	\$ 156.27	
630	630	SIGN, DOUBLE FACED W/GROUND MOUNTED SUPPORT - RESIDENTIAL	EACH	\$ 156.27	
630	630	SIGN, FLAT SHEET (Specify sign type, e.g., Stop Sign, etc.)	SQ FT	\$ 15.11	
630	630	SPEED LIMIT SIGN W/GROUND MOUNTED SUPPORT	EACH	\$ 156.27	
630	630	STOP SIGN W/GROUND MOUNTED SUPPORT	EACH	\$ 171.90	
630	630	STREET NAME SIGN SUPPORT - COLLECTOR	EACH	\$ 208.36	
630	630	STREET NAME SIGN SUPPORT - RESIDENTIAL	EACH	\$ 156.27	
634	634	GABION EMBANKMENT	CU YD	\$ 149.39	
644	644	CENTERLINE	MILE	\$ 3,439.10	
644	644	CHANNELIZING	LIN FT	\$ 1.98	
644	644	CROSSWALK LINE	LIN FT	\$ 2.60	
644	644	EDGE LINE	MILE	\$ 1,658.27	
644	644	ISLAND MARKING	SQ FT	\$ 2.57	
644	644	LANE ARROW	EACH	\$ 119.81	
644	644	REMOVAL OF PAVEMENT MARKING	FT	\$ 1.56	
644	644	RR SYMBOL MARKING, 96-IN	EACH	\$ 520.90	
644	644	SCHOOL SYMBOL MARKING, 96-IN	EACH	\$ 461.69	
644	644	STOP LINE	LIN FT	\$ 7.29	
644	644	TRANSVERSE LINE	LIN FT	\$ 6.25	
644	644	WORD ON PAVEMENT, 72 IN.	EACH	\$ 135.43	
	651	TOPSOIL STOCKPILED	EACH	\$ 5.83	
	653	TOPSOIL FURNISHED AND PLACED	CU YD	\$ 31.25	

COL	ODOT	ITEM DESCRIPTION	UNIT	PRICE	COMMENTS
	659	AGRICULTURAL LIMING	TON	\$ 52.51	
	659	COMMERCIAL FERTILIZER	TON	\$ 656.33	REQ'D. ON ALL ESTIMATES
659	659	REPAIR SEEDING AND MULCHING	SQ YD	\$ 1.04	REQ'D. ON ALL ESTIMATES
659	659	SEEDING AND MULCHING	SQ YD	\$ 1.41	REQ'D. ON ALL ESTIMATES < 10,000 SQ YDS
659	659	SEEDING AND MULCHING	SQ YD	\$ 0.78	USE ON MAINTENANCE BOND ESTIMATES OR WHEN QUANTITIES ARE > 10,000 SQ YDS
659	659	WATER	M GALLON	\$ 30.63	REQ'D. ON ALL ESTIMATES
660	660	SODDING	SQ YD	\$ 4.83	
667	667	SEEDING AND JUTE MATTING	SQ YD	\$ 3.45	
670	670	DITCH EROSION PROTECTION	SQ YD	\$ 1.61	
670	670	SLOPE EROSION CONTROL	SQ YD	\$ 1.77	
	SPEC	TEMPORARY BARRICADES	EACH	\$ 687.59	
604	SPEC	ORIFICE PLATE	EACH	\$ 312.54	